Qty:

20 Um:

Each

Tuesday, 10/02/2009 11:09:02 AM

User:

Julie Dawson

: 10310

## **Process Sheet**

**Drawing Name** 

Part Number

Material

**Due Date** 

**Drawing Number** 

**Project Number** 

**Drawing Revision** 

: BÜSHING

: D26175

: N/A

: D2

: D2617 REV D2

: 19/02/2009

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 45663

**Estimate Number** P.O. Number

: 10/02/2009 This Issue

Prsht Rev. : NC

First Issue : //

: 42937 **Previous Run** 

Written By

Checked & Approved By

S.O. No. :

: Est H 04.07.14 Reformat; added step 5 KJ/JLM

Type

**Additional Product** 

Job Number:

Comment



Seq. #:

Machine Or Operation:

Description:

1.0

M6061T6T0500W058

6061-T6 RD Tube .500 x.058W



Comment: Qty.: 0.0205 f(s)/Unit

Total: 0.4095 f(s)

: MACHINED PARTS

6061-T6 Round Bar 1.5"

Material: 6061-T6 (QQ-A-225/8 or QQ-A-200/8 or WW-T-700/6)

Ø0.500" tubing x 0.058" wall M6061T6T0.500W.058)

Batch M10271 HARDINGE

2.0



Comment: HARDINGE CNC LATHE SMALL

1-Machine as per Folio FA438 and Dwg D2617

2-Deburr

QC2 3.0



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK

Comment: SECOND CHECK


5.0 HAND FINISHING1 HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1





Dart Ae	rospace Ltd									
W/O:		WORK ORDER CHANGES								
DATE	STEP	PR	PROCEDURE CHANGE			Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
		<u> </u>								
Part No	:	PAR #:	Fault Category:	NCR:	Yes	No <b>DQ</b>	A:	Date: _		
Resolution:		ıtion:	Disposition:		QA: N/C Closed:			Date:		
NCR:			WORK ORDER NON-CONFORMANCE (NCR)							

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B			A			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
					į					
						!				
	1		1			İ				

NOTE: Date & initial all entries

Date: Tuesday, 10/02/2009 11:09:03 AM User: Julie Dawson **Process Sheet Drawing Name: BUSHING** Customer: CU-DAR001 Dart Helicopters Services Job Number: 45663 Part Number: D26175 Job Number: Seq. #: **Machine Or Operation:** Description: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 **Comment: INSPECT ALODINE** PACKAGING RESOURCE #1 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

## **Dart Aerospace Ltd**

W/O:		WORK ORDER C	WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
<u> </u>								
Part No	:	PAR #: Fault Category:	NCR: Yes	No <b>DQ</b>	<b>ム:</b>	Date:		

Resolution:		esolution:	Disposition:		QA: N/C Closed:		Date:	
NCR:		,	WORK ORD	ER NON-CONFORMAN	ICE (NCR)			
		Description of NC	Corrective Action Section B		В	Verification		T
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						}		
<del>-</del>								

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	45663
Description: Bushing	Part Number:	D2617-5
Inspection Dwg: D2617 Rev: D2		Page 1 of 1

	FIRST	Γ ARTICLE II	NSPECTI	ON CHE	ECKLIST		
	X	First Arti	cle	Prot	otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method o		mments
0.223	+0.000/-0.010	-200					
0.500	+/-0.010	300					
							<u></u>
-							
Measured by:	(I2	Audited by:	SP,	,	Prototype	Approval:	N/A
Date:	75/02/14	Date:		/17		Date:	N/A
Rev         Date           A         04.08.09	Change New Issue					Revised by KJ/JLM	Approved
B 06.03.08 C 08.01.16	Dwg Rev change Tolerance revised	d for 0.500 dime	ension			KJ/JLM KJ/EC/DD	) <u>)</u>







	DESIGN	BW	DRAWN BY	DART AERO HAWKESBURY, O	SPACE LTD INTARIO, CANADA
	CHECK	D #	APPROVED	DRAWING NO.	REV. D
-		91	9	D2617	SHEET 1 OF 1
	DATE			TITLE	SCALE
	01.0	7.04		BUSHING	1:1
	,		06 10 00	NEW ICCUE	


04.09.10 # (A) ADD 172617-7

96.10.08 | NEW ISSUE В 97.05.08 .875 WAS 1.125 C 97.06.04 0.369 DIA WAS 0.375 D 01.07.04 ADD MAT'L SPEC AND TOL./DIM. NOTE DI 04.07.12 CORRECT TOLERANCE (NCR 774)

375 OD x 0.058 WALL)









D2617-5 (0.500 OD x 0.058 WALL)

FROM DELICIN (MOELICIN-R)





0.235±0.010-SHOP COPY **RETURN TO** 

**ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT

WITHOUT NOTICE

## NOTES:

1) MATERIAL: 5052-H32 (QQ-A-225/7 OR WW-T-700/4)

OR 6061-T6 (QQ-A-225/8, QQ-A-200/8, OR WW-T-700/6)

- BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH, ALODINE PER QSI 005 4.1
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.